

# Glance 'n Go Sampling for Greenbugs in Winter Wheat

Treatment Threshold  
= 12 Greenbugs/Tiller

Spring  
Edition



## Economic Thresholds for January - May

Prepared by Tom A. Royer and K.L. Giles,  
Oklahoma State University,  
and N.C. Elliott, USDA-ARS, Stillwater, OK.

### Directions

- ▶ To sample the wheat field, use a “zig zag” or “W” pattern and walk at least 15 steps (about 30 ft) between stops.
- ▶ Carefully pull and examine 3 tillers (stems) per stop, taking one tiller from the left, right, and front.
- ▶ At each stop, color in the leaf for each tiller that has one or more greenbugs on it, and keep a running total. If the number of infested tillers is less than or equal to the number in the “Don’t Treat” column then stop sampling, and do not treat. If the number of infested tillers is equal to or greater than the number in the “Treat” column then stop sampling, and treat the field. If the number falls within the numbers listed in the “Keep Sampling” column, continue sampling until a decision can be made, or the “Stop Sampling” box has been reached.
- ▶ If the “Stop Sampling” box is reached and a decision is not made:
  - ▶ Do not spray if most of the greenbugs are mummies.
  - ▶ Recheck the field in 2-4 days if no or very few mummies are present.

Oklahoma State University, in compliance with Title VI and VII of the Civil Rights Act of 1964, Executive Order 11246 as amended, Title IX of the Education Amendments of 1972, Americans with Disabilities Act of 1990, and other federal laws and regulations, does not discriminate on the basis of race, color, national origin, sex, age, religion, disability, or status as a veteran in any of its policies, practices or procedures. This includes but is not limited to admissions, employment, financial aid, and educational services.

Issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Sam E. Curl, Director of Oklahoma Cooperative Extension Service, Oklahoma State University, Stillwater, Oklahoma. This publication is issued by Oklahoma State University as authorized by the Dean of the Division of Agricultural Sciences and Natural Resources. 0502 JS.

### Field 1 Date Spring, Threshold = 12

Sample ▼	Stop every 30 ft. and look at 3 tillers Mark a leaf for each tiller that has 1 or more greenbugs					Total tillers with 1 or more greenbugs	Don't Treat ▼	Keep Sampling ▼	Treat ▼
	Stop 1	Stop 2	Stop 3	Stop 4	Stop 5				
Tillers 1-15 ▶						/15 ▶	11 or less	12-15	N/A
Tillers 16-30 ▶						/30 ▶	25 or less	26-30	N/A
Tillers 31-45 ▶						/45 ▶	39 or less	40-45	N/A
Tillers 46-60 ▶						/60 ▶	53 or less	54-59	60
Tillers 61-75 ▶						/75 ▶	67 or less	68-73	74 or more
Tillers 76-90 ▶						/90 ▶	82 or less	83-87	88 or more

Stop Sampling      Resample in 2-4 days

### Field 2 Date Spring, Threshold = 12

Sample ▼	Stop every 30 ft. and look at 3 tillers Mark a leaf for each tiller that has 1 or more greenbugs					Total tillers with 1 or more greenbugs	Don't Treat ▼	Keep Sampling ▼	Treat ▼
	Stop 1	Stop 2	Stop 3	Stop 4	Stop 5				
Tillers 1-15 ▶						/15 ▶	11 or less	12-15	N/A
Tillers 16-30 ▶						/30 ▶	25 or less	26-30	N/A
Tillers 31-45 ▶						/45 ▶	39 or less	40-45	N/A
Tillers 46-60 ▶						/60 ▶	53 or less	54-59	60
Tillers 61-75 ▶						/75 ▶	67 or less	68-73	74 or more
Tillers 76-90 ▶						/90 ▶	82 or less	83-87	88 or more

Stop Sampling      Resample in 2-4 days

Field 3

Date

Spring, Threshold = 12



Sample ▼	Stop every 30 ft. and look at 3 tillers Mark a leaf for each tiller that has 1 or more greenbugs					Total tillers with 1 or more greenbugs	Don't Treat ▼	Keep Sampling ▼	Treat ▼
	Stop 1	Stop 2	Stop 3	Stop 4	Stop 5				
Tillers 1-15 ▶						/15 ▶	11 or less	12-15	N/A
Tillers 16-30 ▶						/30 ▶	25 or less	26-30	N/A
Tillers 31-45 ▶						/45 ▶	39 or less	40-45	N/A
Tillers 46-60 ▶						/60 ▶	53 or less	54-59	60
Tillers 61-75 ▶						/75 ▶	67 or less	68-73	74 or more
Tillers 76-90 ▶						/90 ▶	82 or less	83-87	88 or more
<b>Stop Sampling      Resample in 2-4 days</b>									

Field 4

Date

Spring, Threshold = 12

Sample ▼	Stop every 30 ft. and look at 3 tillers Mark a leaf for each tiller that has 1 or more greenbugs					Total tillers with 1 or more greenbugs	Don't Treat ▼	Keep Sampling ▼	Treat ▼
	Stop 1	Stop 2	Stop 3	Stop 4	Stop 5				
Tillers 1-15 ▶						/15 ▶	11 or less	12-15	N/A
Tillers 16-30 ▶						/30 ▶	25 or less	26-30	N/A
Tillers 31-45 ▶						/45 ▶	39 or less	40-45	N/A
Tillers 46-60 ▶						/60 ▶	53 or less	54-59	60
Tillers 61-75 ▶						/75 ▶	67 or less	68-73	74 or more
Tillers 76-90 ▶						/90 ▶	82 or less	83-87	88 or more
<b>Stop Sampling      Resample in 2-4 days</b>									

Field 5

Date

Spring, Threshold = 12

Sample ▼	Stop every 30 ft. and look at 3 tillers Mark a leaf for each tiller that has 1 or more greenbugs					Total tillers with 1 or more greenbugs	Don't Treat ▼	Keep Sampling ▼	Treat ▼
	Stop 1	Stop 2	Stop 3	Stop 4	Stop 5				
Tillers 1-15 ▶						/15 ▶	11 or less	12-15	N/A
Tillers 16-30 ▶						/30 ▶	25 or less	26-30	N/A
Tillers 31-45 ▶						/45 ▶	39 or less	40-45	N/A
Tillers 46-60 ▶						/60 ▶	53 or less	54-59	60
Tillers 61-75 ▶						/75 ▶	67 or less	68-73	74 or more
Tillers 76-90 ▶						/90 ▶	82 or less	83-87	88 or more
<b>Stop Sampling      Resample in 2-4 days</b>									